

FTW



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/032,332	12/20/2001	Mark Moshayedi	SIMTECH.171A	4488

31824 7590 05/04/2005

MCDERMOTT WILL & EMERY LLP  
18191 VON KARMAN AVE.  
IRVINE, CA 92612-7107



EXAMINER

IQBAL, NADEEM

ART UNIT PAPER NUMBER

2114

DATE MAILED: 05/04/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

RECEIVED  
MAY 17 2005  
OIPE/JCWS



# Office Action Summary

Application No.

10/032,332

Applicant(s)

MOSHAYEDI ET AL

Examiner

Nadeem Iqbal

Art Unit

2114

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 10 February 2005.
- 2a) ☒ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-22 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

NADEEM IQBAL  
PRIMARY EXAMINER

## Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
- Paper No(s)/Mail Date \_\_\_\_\_

- 4) ☐ Interview Summary (PTO-413)
- Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

***Response to Amendment***

This office action is in response to an amendment filed on Feb 10, 2005.

***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1-8, 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Li et al., (U.S. Patent number 6336174).

4. As per claim 1, Li et al., teaches (col. 2, lines 63-65) a memory module (HAMM) that includes a volatile memory, a nonvolatile memory coupled to the volatile memory for receiving and storing information and a controller coupled to the memories. He also teaches (col. 3, lines 5-6) that HAMM is coupled to a host. HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to

Art Unit: 2114

nonvolatile memory. He thus teaches limitations pertains to a system for flash memory systems with a host system, the flash memory system actively isolates the connection to the host system power supply and isolates the interface bus. He also teaches (col. 3, lines 15-17) that once isolated HAMM takes its power from an auxiliary power supply. He thus teaches supplemental energy store to complete write operations to flash memory. He does not explicitly disclose a flash memory system. Li teaches HAMM system includes nonvolatile memory, He further teaches (col. 6, lines 45-47) that nonvolatile memory can include flash memory. It would have been obvious to a person of ordinary skill in the art at the time the invention was made to realize that He teaches a flash memory system, since he teaches nonvolatile memory system that can include flash memory.

5. As per claim 2, Li teaches (col. 3, lines 5-6) that HAMM is coupled to a host. HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. He thus teaches a detection circuit in communication with the power supply. He also teaches (col. 3, lines 15-17) that once isolated HAMM takes its power from an auxiliary power supply. He thus teaches auxiliary power source. He also teaches as stated per claim 1 above that HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. He thus teaches limitations pertains controller circuitry configured to store data in volatile memory into flash memory. He does not explicitly disclose an isolation circuit isolating the auxiliary power source upon a power failure. He teaches (col. 8, lines 5-7) that if the system power fails, isolation devices will turn off and thereby electrically isolate the HAMM from the host system. It would have been obvious to a person of ordinary skill in the art to realize

Art Unit: 2114

that Li teaches the isolation circuit isolating the auxiliary power source upon a power failure, since he teaches isolation devices that will turn off and thereby electrically isolate the HAMM from the host system.

6. As per claim 3, Li teaches as stated per claim 1 above that HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. He thus would include a tri-state buffer.

7. As per claim 4, Li teaches as stated above that HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. The HAMM thus would clearly include a voltage detector, since it detects a power failure.

8. As per claim 5, Li teaches (col. 9, lines 19-21) that the auxiliary power supply is a rechargeable battery. Therefore would include capacitors.

9. As per claim 6, Li teaches (col. 9, lines 19-21) that the auxiliary power supply is a rechargeable battery, and leaving the battery on during normal operation, the battery can be recharged. He thus teaches charging an auxiliary power source. Li also teaches (col. 3, lines 5-6) that HAMM is coupled to a host. HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. He thus teaches a detecting a loss of power of the supply voltage, utilizing the auxiliary power source to store data stored in volatile memory into flash memory. He does not explicitly disclose isolating the auxiliary power source. He teaches (col. 8, lines 5-7) that if the system power fails, isolation devices will turn off and thereby electrically isolate the HAMM from the host system. It would have been obvious to a person of ordinary skill in the art to realize that Li

Art Unit: 2114

teaches the isolation circuit isolating the auxiliary power source upon a power failure, since he teaches isolation devices that will turn off and thereby electrically isolate the HAMM from the host system.

10. As per claims 7 & 8, Li teaches (col. 8, lines 5-7) that if the system power fails, isolation devices will turn off and thereby electrically isolate the HAMM from the host system. It would have been obvious to a person of ordinary skill in the art to realize that Li's isolation devices would include opening a relay interconnecting the supply voltage and auxiliary power source, since he teaches isolation devices that will turn off and thereby electrically isolate the HAMM from the host system.

11. As per claims 17 & 19, Li teaches (col. 3, lines 5-6) that HAMM is coupled to a host. HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. He thus teaches a power detector, a data store storing data into non-volatile memory. Li also teaches (col. 9, lines 19-21) that the auxiliary power supply is a rechargeable battery, and leaving the battery on during normal operation, the battery can be recharged. He thus teaches charging an auxiliary power source. He does not explicitly disclose isolating the auxiliary power source. He teaches (col. 8, lines 5-7) that if the system power fails, isolation devices will turn off and thereby electrically isolate the HAMM from the host system. It would have been obvious to a person of ordinary skill in the art to realize that Li teaches the isolation circuit isolating the auxiliary power source upon a power failure, since he teaches isolation devices that will turn off and thereby electrically isolate the HAMM from the host system.

Art Unit: 2114

12. As per claim 18, Li teaches HAMM system includes nonvolatile memory, He further teaches (col. 6, lines 45-47) that nonvolatile memory can include flash memory.

13.

14. As per claim 20, Li teaches as stated per claim 17 above that HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. HAMM includes volatile memory, there would decouple the volatile memory from external connections.

15. As per claim 21, HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory.

16. As per claim 22, Li teaches (col. 3, lines 5-6) that HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. He thus teaches means for detecting loss of power detector, means for storing data in a non-volatile memory. Li also teaches (col. 9, lines 19-21) that the auxiliary power supply is a rechargeable battery. He thus teaches means for providing auxiliary power. He does not explicitly disclose means for isolating the means for preserving data upon detection of loss of power. He teaches (col. 8, lines 5-7) that if the system power fails, isolation devices will turn off and thereby electrically isolate the HAMM from the host system. It would have been obvious to a person of ordinary skill in the art to realize that Li teaches means for isolating the means for preserving data upon detection of loss of power, since he teaches isolation devices that will turn off and thereby electrically isolate the HAMM from the host system.

***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

2. Claims 9-16 are rejected under 35 U.S.C. 102(e) as being anticipated by Li et al., (U.S. Patent number 6336174).

17. As per claim 9, Li et al., teaches (col. 2, lines 63-65) a memory module (HAMM) that includes a volatile memory, a nonvolatile memory coupled to the volatile memory for receiving and storing information and a controller coupled to the memories. He also teaches (col. 3, lines 5-6) that HAMM is coupled to a host. HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. He thus teaches limitations pertains to a memory device storing data stored



in volatile memory into non-volatile memory, upon loss of power to the memory device, external connection to the memory device is isolated.

18. As per claim 10, Li teaches (col. 8, lines 5-7) that if the system power fails, isolation devices will turn off and thereby electrically isolate the HAMM from the host system. He thus teaches an external connection to a power supply.

19. As per claim 11, Li teaches as stated per claim 1 above that HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. He thus includes an external connection to a data interface.

20. As per claim 12, Li teaches HAMM system includes nonvolatile memory, He further teaches (col. 6, lines 45-47) that nonvolatile memory can include flash memory.

21. As per claim 13, Li et al., teaches (col. 2, lines 63-65) a memory module (HAMM) that includes a volatile memory, a nonvolatile memory coupled to the volatile memory for receiving and storing information and a controller coupled to the memories. He also teaches (col. 3, lines 5-6) that HAMM is coupled to a host. HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. He thus teaches limitations pertains to a method of storing data from volatile memory to non-volatile memory, monitoring a power supply, upon loss of power to the memory device, external connection to the non-volatile memory device is isolated.

22. As per claim 14, Li teaches (col. 8, lines 5-7) that if the system power fails, isolation devices will turn off and thereby electrically isolate the HAMM from the host system. He thus teaches an external connection to a power supply.

Art Unit: 2114

23. As per claims 15 & 16, Li teaches as stated per claim 1 above that HAMM detects and responds upon detecting a power failure isolates itself from the host before copying information from volatile memory to nonvolatile memory. He thus includes an external connection to a data interface.

### *Response to Arguments*

3. Applicant's arguments filed Feb 10, 2005 have been fully considered but they are not persuasive. Examiner final rejection is based on previously cited art of record based on Li et al., (U.S. Patent 6336174) only. Therefore Examiner would only respond to Applicants arguments related to this applied art of record. As per claims 1-22, Applicants alleges that Li specifically disclaims being a non-volatile or flash memory. Examiner disagrees with this allegation since Li clearly teaches (col. 2, lines 63-65) a memory module (HAMM) that includes a volatile memory, a nonvolatile memory coupled to the volatile memory for receiving and storing information and a controller coupled to the memories. He also teaches (col. 6, lines 45-47) that non-volatile memory can include flash memory. Applicant's arguments fail to comply with 37 CFR 1.111(b) because they amount to a general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references.

As per claims 3-22, Applicants have not presented any other arguments related to applied art Li, which is used by the Examiner as the sole art for rejection of the stated claims, therefore, Examiner applies the same response for these claims as presented for claim 1-22 above.

***Conclusion***

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nadeem Iqbal whose telephone number is (571)-272-3659. The examiner can normally be reached on M-F (8:00-5:30) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert W Beausoliel can be reached on (571)-272-3645. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2114

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Nadeem Iqbal  
Primary Examiner  
Art Unit 2114

NI